

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : A46B 9/04		A1	(11) International Publication Number: WO 94/09678
			(43) International Publication Date: 11 May 1994 (11.05.94)
(21) International Application Number: PCT/US93/10401 (22) International Filing Date: 29 October 1993 (29.10.93) (30) Priority data: 970,327 2 November 1992 (02.11.92) US (60) Parent Application or Grant (63) Related by Continuation US 970,327 (CON) Filed on 2 November 1992 (02.11.92) (71) Applicant (for all designated States except US): GILLETTE CANADA INC. [CA/CA]; 16700 Trans Canada, Kirkland, Quebec H9H 4Y8 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): BREDALL, William, A. [US/US]; 540 Dolphin Drive, Pacifica, CA 94044 (US). GAVINO, Ximena, A. [US/US]; 930 Pine Street, #304, San Francisco, CA 94108 (US). LOEW, Christopher [US/US]; 1250 Page Street, #4, San Francisco, CA 94117 (US). VIDRA, James, D. [US/US]; 2170 St. Andrews Road, Half Moon Bay, CA 94019 (US). SABATO, Alberto, B. [IT/US]; 363 Greenoaks Drive, Atherton, CA 94027 (US). BREUER, Miklos, M. [GB/US]; 88 Stanley Road, Newton, MA 02168 (US). SPENCER, Jean, L. [US/US]; 19 Middle Street, No. 4, Boston, MA 02197 (US). WREFORD, Stanley [US/US]; 232 Commercial Street, #D, Boston, MA 02109 (US). MEESSMANN, Jeffrey, Scott [US/US]; 952 Pepper Drive, Iowa City, IA 52240 (US). MCDOWELL, Douglas, J. [US/US]; 1245 Michelle Court, Iowa City, IA 52240 (US).		(74) Agents: GALLOWAY, Peter, D. et al.; Ladas & Parry, 26 West 61st Street, New York, NY 10023 (US). (81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: TOOTHBRUSH



(57) Abstract

The present invention relates to a toothbrush which exhibits superior interproximal and gingival margin cleaning. The toothbrush includes an elongated handle member (12) connected to a toothbrush head member (14). The head is divided into a "toe" (20) and "heel" (22) region. A multiplicity of bristles (24) extend from the heel portion, the distal ends of these bristles form a longitudinally aligned concave shape (28) when viewed on end. A multiplicity of bristles (30) extend from the toe region of the head wherein these bristles are at least as tall as the general height of the bristles extending from the heel portion when viewed from the side and wherein the side profile view of the distal ends of the bristles extending from the toe portion form a generally linear surface which forms an angle relative to the general plane of the bristles extending from the heel portion.

THIS PAGE BLANK (USPTO)

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Licchtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TC	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

TOOTHBRUSHBACKGROUND OF THE INVENTION1. Field of the Invention

5 The present invention relates to toothbrushes, and more particularly, to toothbrushes which exhibit a three-dimensional bristle profile to provide improved cleaning of interproximal and gingival margin regions.

2. Description of the Prior Art

10 Toothbrushing and flossing are fundamental steps in achieving good oral hygiene. Flossing, unfortunately, has not met with widespread acceptance amongst the general populace. Furthermore, even people who floss, oftentimes, do not perform adequate flossing in
15 hard-to-reach areas of the mouth. Accordingly, the importance of providing a brush which achieves improved cleaning along hard-to-reach areas like the gingival margin and interproximal regions is heightened. Unfortunately, while
20 most commercially available toothbrushes clean the outer buccal face of teeth adequately, they fail to provide improved cleaning of plaque and debris from the gingival margin, interproximal
25 areas and other hard to reach areas of the mouth.

Applicants have discovered that a

- 2 -

substantial improvement in toothbrush performance may be realized by optimizing toothbrush design for both interproximal and gingival margin cleaning. In particular, the present invention comprises a toothbrush having a head with a grooved "heel" portion which is particularly suited to cleaning the gingival margin and a "toe" portion which is particularly suited to interproximal cleaning. Furthermore, Applicants have observed that an angled "toe" portion exhibits improved cleaning in areas of the mouth which are difficult to reach with standard toothbrushes. These features in combination with several other important operating characteristics will render a toothbrush particularly adept at accomplishing the aforementioned objectives.

Toothbrushes having a groove centered longitudinally along the entire bristle pattern are generally known to those skilled in the art. Oral-B Laboratories, Redwood City, CA, markets the "ORTHO" brush which is intended to more effectively clean debris from orthodontic brackets and wires. Also, U.S. Patent No. 3,722,020 to Hills, describes a toothbrush which includes a generally planar head portion having a plurality of bristles forming a concave surface. However, Applicants believe that these prior art toothbrushes do not exhibit all of the operating characteristics identified hereinafter as important in simultaneously improved interproximal and gingival margin cleaning.

Furthermore, toothbrushes having a distinct "toe" surface along the side profile of the brush head are also generally known to those skilled in the art. U.S. Patent No. 4,800,608 to Key describes a toothbrush wherein the head

- 3 -

is bent at a fixed obtuse angle. The Key brush is said to provide superior cleaning of the lingual, buccal, embrasure, and distal aspects of the teeth and gums. Also U.S. Patent Nos. 5 4,712,267 to Cheng; 5,046,212 to Conke; 1,337,173 to White; 1,440,785 to Levis; 1,927,365 to Frolio; and Des. 49,472 to Dierke relate generally to toothbrushes with concave side-view heads. However, it is believed that 10 these known prior art toothbrushes also do not exhibit all of the operating characteristics identified hereinafter as important in simultaneously improved interproximal and gingival margin cleaning.

15 These and other objectives will become evident from the following.

SUMMARY OF THE INVENTION

In accordance with one aspect of the present invention, a toothbrush is provided 20 which exhibits superior interproximal and gingival margin cleaning. The toothbrush includes an elongated handle member connected to a toothbrush head member. The head is divided into two regions. A "toe" region is defined as 25 the part of the head which is furthest from the handle and a "heel" region is the portion of the head which is closest to the handle. A multiplicity of bristles extend from the heel region of the head; the distal ends of these 30 bristles form a longitudinally aligned concave shape when viewed on end. Likewise, a multiplicity of bristles extend from the toe region of the head, wherein said bristles extending from the toe portion of the head are 35 at least as tall as the general height of said bristles extending from the heel portion when viewed from the side and wherein the side

- 4 -

profile view of the distal ends of the bristles extending from the toe portion form a generally linear surface which forms an angle relative to the general plane of the bristles extending from the heel portion of from 0° to about 45° declining from the edge of the toe portion distal to the heel portion to the edge of the toe portion which is proximal to the heel portion.

10 BRIEF DESCRIPTION OF THE DRAWINGS

 While the specification concludes with claims which particularly point out and distinctly claim the invention, it is believed the present invention will be better understood from the following description of several particularly preferred embodiments taken in conjunction with the accompanying drawings, in which like reference numerals identify similar elements and wherein:

20 Figures 1, 2 and 3 are perspective views of embodiments of a toothbrush of the present invention.

 Figure 4 is an end profile view of the heel region of a preferred embodiment of the present invention.

25 Figure 5 is an end profile view of the heel region of an alternate embodiment of the present invention.

 Figure 6 is a perspective view of a preferred groove-cut utilizing the groove configuration of Figure 4. The toe tufts have been removed for clarity.

30 Figure 7 is a perspective view of an alternative groove-cut utilizing the groove configuration of Figure 4. The toe tufts have been removed for clarity.

 Figures 8, 9 and 10 are side profile

- 5 -

views of the toothbrush heads of Figures 1, 2 and 3, respectively. These figures depict several alternate means of achieving the bristle surface pattern required at the bristle tips of the present invention.

Figure 11 is a plan view of one embodiment of this invention illustrating the cleansing action of the toe bristle surface in the interproximal region between the teeth.

Figure 12 is an end view of the toe portion of according to Figure 4 showing to posterior heel portion's position along the gingival margin and buccal surfaces during brushing.

DESCRIPTION OF PARTICULARLY PREFERRED EMBODIMENTS

As depicted in Figures 1, 2 and 3, preferred embodiments of the present invention comprise a toothbrush, generally indicated as 10, which achieves improved cleaning of the gingival margin in combination with improved interproximal cleaning. Generally, the toothbrush includes an elongated handle member 12, a head member 14 and a multiplicity of bristles 16. Usually, the handle member and the head member are fabricated of the same material as a single injection molded piece, although a multiple material fabrication is also possible. Optionally, the handle and head portions may be joined by a neck member 18 which is often narrower in cross-section than either the handle 12 or head 14.

The head portion of toothbrushes according to the present invention is comprised of two portions. A "toe" portion 20 is the portion of the head located distal to the handle. In contrast, the "heel" portion 22 is

- 6 -

the portion of the head which is located proximal to the handle end of the head.

A key feature of the present invention resides in the particular topical representation produced by the distal ends of these bristles. The particular topical representation is achieved by utilizing distinct relative bristle height patterns in the heel 22 and toe 20 regions. Accordingly, a variety of tufting patterns, such as those depicted in Figs. 1, 2 and 3 achieve the desired result and are contemplated by the present invention.

Figures 4, 5, 6 and 7 are end view depictions of the heel portion 22 of toothbrushes according to the present invention. As was mentioned earlier, the heel region bristles 24 are characterized from a longitudinally aligned concave groove shape 28. Preferably, this concave shape 28 forms a "V", as in Figure 4. However, other shapes, such as "U" (Figure 5) or a stepwise "V" trim of individual tufts, are also contemplated by the present invention.

Figure 6 is a perspective view of a preferred groove-cut 28 utilizing the "V"-trim pattern of Figure 4. The toe bristles 30 have been removed for clarity. Preferably, the groove should be cut at a depth of from about 1/16 inches to about 3/16 inches to form angle B. It is apparent that the depth and width of the groove 28 is generally uniform along the longitudinal length of the heel portion 22.

Figure 7 is a perspective view of an alternate groove-cut 28 utilizing the "V"-trim pattern of Figure 4. The toe bristles 30 have been removed for clarity. It is apparent that the depth and width of the groove 28 is not

- 7 -

constant along the longitudinal length of the heel portion 22. The depth and width decreases as the groove 28 approaches the handle 12 to form an upward slope relative to the surface of the heel portion of the head 22.

Figures 6 and 7 are intended to depict preferred embodiments. Other slopes, such as a shallow-to-deep-to-shallow cut, are also contemplated by the present invention. The groove cut 28 in the heel 22 has proved to be particularly suited at cleaning along the gingival margin 34 as seen in Figure 12.

Figures 8, 9 and 10 are side profile views of the toothbrush heads of Figures 1, 2 and 3, respectively. These Figures are particularly useful in exemplifying the relationship between the bristles on the toe portion 30 of the head in relation to the bristles on the heel portion 24 of the brush. It is key to note the topology produced by the distal ends of the bristles as it is an important characteristic of the present invention. When viewed from the side, as in Figures 8, 9 and 10, the preferred "angled-toe" effect which is observed along the bristle tips of the toe vs. the heel is observed. This interface results in angle θ which is generally from about 0° to about 45° , preferably from about 10° to about 25° . This toe provides deeper bristle-tooth contact along the back of the tooth and into the interproximal areas 32. See Fig. 11.

Figures 8, 9 and 10 utilize different approaches to achieve a similar bristle tip topology. In Figure 8, the toe 20 and heel 22

- 8 -

portions of the head reside on the same general plane. However, the bristles 30 on the toe 20 gradually increase in length as they approach the distal end 36 of the brush. In Figure 9, the plane of the toe 20 and heel 22 are also generally the same. However, the angle θ on the bristle tips is produced by inserting the tufts at an angle into the toe portion of the head. The angle θ can be greater than or less than the angle of the toe tuft holes since the bristle tips can be trimmed independently. And finally, Figure 10 provides the angle viewed at the bristle tips by bending the head of the toothbrush at the toe/heel interface to an angle of about a. Preferably, the obtuse angle of bend a should be from about 115° to about 170°, most preferably from about 155° to about 170°. These and other techniques can be used to achieve the surface topology of bristles according to the present invention.

The bristles of the present invention must be stiff enough to penetrate and remove plaque and debris from the interproximal spaces, yet must be soft enough to penetrate the gingival margin and remove debris and plaque without causing irritation and bleeding. End-rounded bristle tips are preferred.

Any conventional bristle material may be utilized in the present invention. Nylon and polyester are preferred bristle materials. Nylon is the most preferred. Furthermore, when the nylon bristle materials described above are utilized the height of the toe bristles is from about 12/32 to about 17/32 inches and the height of the heel bristles ranges from about 8/32 to

- 9 -

about 14/32 inches.

Although particular embodiments of the present invention have been shown and described, modifications may be made to the toothbrush without departing from the teachings of the present invention. For example the heel groove could extend up into the toe region. Accordingly, the present invention comprises all embodiments within the scope of the appended claims.

- 10 -

C L A I M S

1. A toothbrush exhibiting superior interproximal and gingival margin cleaning comprising:

- 5 (a) an elongated handle member;
- (b) a head member connected to one end of the handle member comprised of a "toe" portion distal to the handle and a "heel" portion proximal to the handle;
- 10 (c) a multiplicity of bristles extending from the heel portion, the distal ends of said bristles forming a longitudinally aligned concave shape; and
- (d) a multiplicity of bristles
- 15 extending from the toe portion, wherein said bristles extending from the toe portion of the head are at least as tall as the general height of said bristles extending from the heel portion when viewed from the side and wherein the side
- 20 profile view of the distal ends of the bristles extending from the toe portion form a generally linear surface which forms an angle relative to the general plane of the bristles extending from the heel portion of from 0° to about 45°
- 25 declining from the edge of the toe portion distal to the heel portion to the edge of the toe portion which is proximal to the heel portion.
2. A toothbrush according to claim 1,
- 30 wherein the concave groove of the heel portion is provided at a depth of from about 1/16 inches to about 3/16 inches.
3. A toothbrush according to claim 2,
- 35 wherein the distal ends of the heel portion bristles form a substantially aligned general

- 11 -

"v" shape end profile.

4. A toothbrush according to claim 3,
wherein the heel portion bristles are nylon and
have a maximum height of from about 8/32 inches
5 to about 14/32 inches.

5. A toothbrush according to claim 4,
wherein the toe portion bristles have a maximum
height relative to the general plane of the heel
portion of the head of from about 12/32 inches
10 to about 17/32 inches.

6. A toothbrush according to claim 5,
wherein the head member provides a generally
planar surface proximal to the bristles.

7. A toothbrush according to claim 6,
15 wherein the toe portion bristles are
perpendicular to plane of the head member.

8. A toothbrush according to claim 7,
wherein said bristles extending from the toe
portion of the head are taller than the general
20 height of said bristles extending from the heel
portion when viewed from the side and wherein
the side profile view of the distal ends of the
bristles extending from the toe portion form a
generally linear surface which forms an angle
25 relative to the general plane of the bristles
extending from the heel portion of from about
10° to about 25° declining from the edge of the
toe portion distal to the heel portion to the
edge of the toe portion which is proximal to the
30 heel portion.

9. A toothbrush according to claim 8,
wherein the distal ends of the bristles are
rounded.

10. A toothbrush according to claim 6,
35 wherein the toe portion bristles are positioned

- 12 -

at an obtuse angle relative to the plane of the head member.

11. A toothbrush according to claim 10, wherein said bristles extending from the toe portion of the head are taller than the general height of said bristles extending from the heel portion when viewed from the side and wherein the side profile view of the distal ends of the bristles extending from the toe portion form a generally linear surface which forms an angle relative to the general plane of the bristles extending from the heel portion of from about 15° to about 25° declining from the edge of the toe portion distal to the heel portion to the edge of the toe portion which is proximal to the heel portion.

12. A toothbrush according to claim 11, wherein the distal ends of the bristles are rounded.

13. A toothbrush according to claim 5, wherein the toe portion of the head is affixed to the heel portion to form an obtuse angle of from about 115° to about 170° relative to the bristle face on the heel portion of the head member.

14. A toothbrush according to claim 13, wherein said bristles extending from the toe portion of the head are taller than the general height of said bristles extending from the heel portion when viewed from the side and wherein the side profile view of the distal ends of the bristles extending from the toe portion form a generally linear surface which forms an angle relative to the general plane of the bristles extending from the heel portion of from about

- 13 -

10° to about 25° declining from the edge of the toe portion distal to the heel portion to the edge of the toe portion which is proximal to the heel portion.

- 5 15. A toothbrush according to claim 14, wherein the toe portion of the head is affixed to the heel portion to form an obtuse angle of from about 155° to about 170° relative to the bristle face on the heel portion of the head
- 10 member.

16. A toothbrush according to claim 15, wherein the distal ends of the bristles are rounded.

FIG-1




FIG-2





FIG-3



SUBSTITUTE SHEET

FIG-4




FIG-5




FIG-6





FIG-7



SUBSTITUTE SHEET

FIG-8




FIG-9





FIG-10



SUBSTITUTE SHEET

FIG-11





FIG-12



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US93/10401

A. CLASSIFICATION OF SUBJECT MATTER

IPC(5) :A46B 9/04

US CL :15/167.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 15/167.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US, A, 1,018,927 (Sarrazin) 27 February 1912, see entire document.	1
Y		2-16
Y	US, A, 4,020,521 (Velasquez) 03 May 1977, see entire document.	3-16
Y	CH, A, 333,001 (Mundwyler) 31 March 1959, see figure 2.	9, 12, and 16
Y	US, A, 669,402 (Rose) 05 March 1901, see entire document.	10-12
Y	US, A, 1,639,880 (Butler) 23 August 1927, see entire document.	13-16



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be part of particular relevance

"E" earlier document published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"A"

document member of the same patent family

Date of the actual completion of the international search

20 December 1993

Date of mailing of the international search report

12 JAN 1994

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. NOT APPLICABLE

Authorized officer

RANDALL E. CHIN

Telephone No. (703) 308-0771

THIS PAGE BLANK (USPTO)